

COS

OCT 23 1979

PSD Permit Application - ARCO/Sohio Prudhoe Bay Unit
(Water Flood) - Prudhoe Bay, Alaska

Document II

Michael M. Johnston, Chief
New Source Permits Section (M/S 521)

Robert G. Courson, Chief
Research & Training Technical Support Branch (M/S 329)

On October 17, 1979, we received an application from the ARCO/Sohio Prudhoe Bay Unit for a PSD permit to construct additional facilities at the Prudhoe Bay Oil Field, Alaska.

Please review the application for completeness. In addition, determine for which pollutants BACT is necessary and for those pollutants requiring BACT, determine if the proposal employs the necessary technology. Also, please evaluate the air quality impact analysis and determine if there will be any violations of increments or standards. Identify any problems with a policy nature as early as possible so their resolution will not unnecessarily delay the review process.

In order to expedite this request, please feel free to contact the Company directly for any information you need. You may also want to schedule a meeting between key Company personnel and EPA staff. Any correspondence between EPA and the Company should be routed through me for the purpose of keeping our records straight.

We are required to respond to PSD applications within 30 days of receipt with a determination as to the completeness of that application. In this regard, please reply at your earliest convenience, but not later than November 9, 1979.

Attachment

cc: Paul Boys, w/o attach.
Mike Trutna, w/attach.
Rich Biondi, w/o attach.
Bob Chivvis, AOO w/attach.
Dave Estes, ADEC w/attach.

USEPA REG



0000080

KWilson:jf:10-18-79

CONCURRENCES

SYMBOL	SURNAME	DATE						
	Nye							